

Master Index—Volumes 111–120

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

- Ambite, J.L. and C.A. Knoblock
Flexible and scalable cost-based query planning in mediators:
A transformational approach **118** (2000) 115–161
Andersson, M., see Sandholm, T. **111** (1999) 209–238
- Bacchus, F., J.Y. Halpern and H.J. Levesque
Reasoning about noisy sensors and effectors in the situation
calculus **111** (1999) 171–208
- Bacchus, F. and F. Kabanza
Using temporal logics to express search control knowledge
for planning **116** (2000) 123–191
Bäckström, C., see Jonsson, P. **117** (2000) 1–29
Baher, J., see Forbus, K.D. **114** (1999) 297–347
Baral, C.
Abductive reasoning through filtering **120** (2000) 1–28
Baroni, P., M. Giacomini and G. Guida
Extending abstract argumentation systems theory **120** (2000) 251–270
Beck, J.C. and M.S. Fox
Dynamic problem structure analysis as a basis for constraint-
directed scheduling heuristics **117** (2000) 31–81
Ben-David, S. and R. Ben-Eliyahu-Zohary
A modal logic for subjective default reasoning **116** (2000) 217–236
Ben-Eliyahu-Zohary, R., see Ben-David, S. **116** (2000) 217–236
Bjäreland, M., see Drakengren, T. **115** (1999) 1–24
Bobenage, J., see Nourbakhsh, I.R. **114** (1999) 95–124
Bobrow, D.G., see Fromherz, M.P.J. **114** (1999) 157–202
Bochman, A.
A foundationalist view of the AGM theory of belief change **116** (2000) 237–263

- Boettcher, S. and A. Percus
Nature's way of optimizing (Research Note) 119 (2000) 275–286
- Boniface, M., see Vilhelm, C. 116 (2000) 67–85
- Borgida, A., see Brachman, R.J. 114 (1999) 203–237
- Brachman, R.J., D.L. McGuinness, P.F. Patel-Schneider and A. Borgida
"Reducing" CLASSIC to practice: Knowledge representation theory meets reality 114 (1999) 203–237
- Brady, M., see Hayton, P.M. 114 (1999) 125–156
- Brass, S., J. Dix and T.C. Przymusiński
Computation of the semantics of autoepistemic belief theories (Research Note) 112 (1999) 233–250
- Bredeweg, B., see de Koning, K. 117 (2000) 173–229
- Breuker, J., see de Koning, K. 117 (2000) 173–229
- Brokowski, M., see Forbus, K.D. 114 (1999) 297–347
- Buccafurri, F., T. Eiter, G. Gottlob and N. Leone
Enhancing model checking in verification by AI techniques 112 (1999) 57–104
- Burgard, W., A.B. Cremers, D. Fox, D. Hähnel, G. Lakemeyer, D. Schulz, W. Steiner and S. Thrun
Experiences with an interactive museum tour-guide robot 114 (1999) 3–55
- Cadoli, M., F.M. Donini, P. Liberatore and M. Schaerf
The size of a revised knowledge base 115 (1999) 25–64
- Cadoli, M. and F. Scarcello
Semantical and computational aspects of Horn approximations 119 (2000) 1–17
- Calvelo, D., see Vilhelm, C. 116 (2000) 67–85
- Castiñeira, E., see Trillas, E. 117 (2000) 255–275
- Chambrin, M.-C., see Vilhelm, C. 116 (2000) 67–85
- Chien, S., G. Rabideau, J. Willis and T. Mann
Automating planning and scheduling of shuttle payload operations 114 (1999) 239–255
- Cholewiński, P., V.W. Marek, A. Mikitiuk and M. Truszczyński
Computing with default logic 112 (1999) 105–146
- Cohen, W.W.
WHIRL: A word-based information representation language 118 (2000) 163–196
- Cohn, A.G. and D.R. Perlis
Three new publication categories for the Artificial Intelligence Journal (Editorial) 111 (1999) 1–2
- Cohn, A.G. and D.R. Perlis
Three new publication categories for the Artificial Intelligence Journal (Editorial) 112 (1999) 251–252
- Cooper, M.C.
Linear constraints for the interpretation of line drawings of curved objects 119 (2000) 235–258

- Cox, M.T. and A. Ram
 Introspective multistrategy learning: On the construction of learning strategies 112 (1999) 1– 55
- Cozman, F.G.
 Credal networks 120 (2000) 199–233
- Craven, M., D. DiPasquo, D. Freitag, A. McCallum, T. Mitchell, K. Nigam and S. Slattery
 Learning to construct knowledge bases from the World Wide Web 118 (2000) 69–113
- Cremers, A.B., see Burgard, W. 114 (1999) 3– 55
- Cubillo, S., see Trillas, E. 117 (2000) 255–275
- Dar, T., L. Joskowicz and E. Rivlin
 Understanding mechanical motion: From images to behaviors 112 (1999) 147–179
- Davis, R., see Stahovich, T.F. 119 (2000) 19– 60
- Dechter, R.
 Bucket elimination: A unifying framework for reasoning 113 (1999) 41– 85
- de Jong, H. and F. van Raalte
 Comparative environment construction: A technique for the comparative analysis of dynamical systems 115 (1999) 145–214
- de Koning, K., B. Bredeweg, J. Breuker and B. Wielinga
 Model-based reasoning about learner behaviour 117 (2000) 173–229
- del Val, A.
 On some tractable classes in deduction and abduction (Research Note) 116 (2000) 297–313
- Diamantidis, N.A., D. Karlis and E.A. Giakoumakis
 Unsupervised stratification of cross-validation for accuracy estimation 116 (2000) 1– 16
- DiPasquo, D., see Craven, M. 118 (2000) 69–113
- Dix, J., see Brass, S. 112 (1999) 233–250
- Donini, F.M., see Cadoli, M. 115 (1999) 25– 64
- Drakengren, T. and M. Bjärelund
 Reasoning about action in polynomial time 115 (1999) 1– 24
- Eiter, T., V.S. Subrahmanian and T.J. Rogers
 Heterogeneous active agents, III: Polynomially implementable agents 117 (2000) 107–167
- Eiter, T., see Buccafurri, F. 112 (1999) 57–104
- Etzioni, O., see Perkowitz, M. 118 (2000) 245–275
- Everett, J.O.
 Topological inference of teleology: Deriving function from structure via evidential reasoning 113 (1999) 149–202
- Everett, J.O., see Forbus, K.D. 114 (1999) 297–347

- Faltings, B., see Weigel, R. 115 (1999) 257–287
- Fitoussi, D. and M. Tennenholtz
 Choosing social laws for multi-agent systems: Minimality and simplicity 119 (2000) 61–101
- Forbus, K.D., P.B. Whalley, J.O. Everett, L. Ureel, M. Brokowski, J. Baher and S.E. Kuehne
 CyclePad: An articulate virtual laboratory for engineering thermodynamics 114 (1999) 297–347
- Fox, D., see Burgard, W. 114 (1999) 3– 55
- Fox, M.S., see Beck, J.C. 117 (2000) 31– 81
- Freitag, D., see Craven, M. 118 (2000) 69–113
- Friedrich, G., M. Stumptner and F. Wotawa
 Model-based diagnosis of hardware designs 111 (1999) 3– 39
- Fromherz, M.P.J., V.A. Saraswat and D.G. Bobrow
 Model-based computing: Developing flexible machine control software 114 (1999) 157–202
- Gent, I.P. and T. Walsh
 Paul R. Cohen's *Empirical Methods for Artificial Intelligence* (Book Review) 113 (1999) 285–290
- Giacomin, M., see Baroni, P. 120 (2000) 251–270
- Giakoumakis, E.A., see Diamantidis, N.A. 116 (2000) 1– 16
- Giunchiglia, F. and L. Spalazzi
 Intelligent planning: A decomposition and abstraction based approach to classical planning (Book Review) 111 (1999) 329–338
- Gottlob, G., see Buccafurri, F. 112 (1999) 57–104
- Grange, S., see Nourbakhsh, I.R. 114 (1999) 95–124
- Greer, K.
 Computer chess move-ordering schemes using move influence 120 (2000) 235–250
- Guida, G., see Baroni, P. 120 (2000) 251–270
- Hähnel, D., see Burgard, W. 114 (1999) 3– 55
- Halpern, J.Y., see Bacchus, F. 111 (1999) 171–208
- Haslum, P., see Jonsson, P. 117 (2000) 1– 29
- Hayton, P.M., M. Brady, S.M. Smith and N. Moore
 A non-rigid registration algorithm for dynamic breast MR images 114 (1999) 125–156
- Herzig, A. and O. Rifi
 Propositional belief base update and minimal change 115 (1999) 107–138
- Hiraishi, H., see Mizoguchi, F. 114 (1999) 57– 94
- Hirsch, R.
 Tractable approximations for temporal constraint handling (Research Note) 116 (2000) 287–295

- Hoos, H.H. and T. Stützle
Towards a characterisation of the behaviour of stochastic local
search algorithms for SAT (Research Note) 112 (1999) 213–232
- Horling, B., see Lesser, V. 118 (2000) 197–244
- Jaborska, A., see Vilhelm, C. 116 (2000) 67–85
- Jaeger, M.
On the complexity of inference about probabilistic relational
models (Research Note) 117 (2000) 297–308
- Jennings, N.R.
On agent-based software engineering 117 (2000) 277–296
- Jensen, F.V., see Madsen, A.L. 113 (1999) 203–245
- Jonsson, P., P. Haslum and C. Bäckström
Towards efficient universal planning: A randomized approach 117 (2000) 1–29
- Joskowicz, L., see Dar, T. 112 (1999) 147–179
- Kabanza, F., see Bacchus, F. 116 (2000) 123–191
- Kaplan, A.N. and L.K. Schubert
A computational model of belief 120 (2000) 119–160
- Karlis, D., see Diamantidis, N.A. 116 (2000) 1–16
- Kay, H., B. Rinner and B. Kuipers
Semi-quantitative system identification 119 (2000) 103–140
- Khardon, R.
Learning action strategies for planning domains 113 (1999) 125–148
- Kibler, D.
Paul R. Cohen's *Empirical Methods for Artificial Intelligence*
(Book Review) 113 (1999) 281–284
- Kim, J. and P.S. Rosenbloom
Bounding the cost of learned rules 120 (2000) 43–80
- Klassner, F., see Lesser, V. 118 (2000) 197–244
- Knoblock, C.A., see Ambite, J.L. 118 (2000) 115–161
- Kolbe, T., see Walther, C. 116 (2000) 17–66
- Koubarakis, M., see Stergiou, K. 120 (2000) 81–117
- Krovetz, R.
Viewing morphology as an inference process 118 (2000) 277–294
- Kuehne, S.E., see Forbus, K.D. 114 (1999) 297–347
- Kuipers, B.
The Spatial Semantic Hierarchy 119 (2000) 191–233
- Kuipers, B., see Kay, H. 119 (2000) 103–140
- Kushmerick, N.
Wrapper induction: Efficiency and expressiveness 118 (2000) 15–68
- Lakemeyer, G., see Burgard, W. 114 (1999) 3–55
- Larson, K., see Sandholm, T. 111 (1999) 209–238

- Lee, M.H.
 Qualitative circuit models in failure analysis reasoning 111 (1999) 239–276
- Leone, N., see Buccafurri, F. 112 (1999) 57–104
- Lesser, V., B. Horling, F. Klassner, A. Raja, T. Wagner and S.X.Q. Zhang
 BIG: An agent for resource-bounded information gathering and decision making 118 (2000) 197–244
- Levesque, H.J., see Bacchus, F. 111 (1999) 171–208
- Levy, A.Y. and D.S. Weld
 Intelligent Internet systems (Editorial) 118 (2000) 1–14
- Liberatore, P.
 On the complexity of choosing the branching literal in DPLL (Research Note) 116 (2000) 315–326
- Liberatore, P.
 The complexity of belief update 119 (2000) 141–190
- Liberatore, P., see Cadoli, M. 115 (1999) 25–64
- Liou, C.-Y. and W.-P. Tai
 Conformality in the self-organization network 116 (2000) 265–288
- Lutz, R., see Nourbakhsh, I.R. 114 (1999) 95–124
- Madsen, A.L. and F.V. Jensen
 LAZY propagation: A junction tree inference algorithm based on lazy evaluation 113 (1999) 203–245
- Mann, T., see Chien, S. 114 (1999) 239–255
- Marek, V.W., see Cholewiński, P. 112 (1999) 105–146
- McCallum, A., see Craven, M. 118 (2000) 69–113
- McGuinness, D.L., see Brachman, R.J. 114 (1999) 203–237
- McIlraith, S.A.
 Integrating actions and state constraints: A closed-form solution to the ramification problem (sometimes) 116 (2000) 87–121
- Melis, E. and J. Siekmann
 Knowledge-based proof planning 115 (1999) 65–105
- Meyer, J.-J.Ch., W. van der Hoek and B. van Linder
 A logical approach to the dynamics of commitments 113 (1999) 1–40
- Meyer, R., see Nourbakhsh, I.R. 114 (1999) 95–124
- Mikitiuk, A., see Cholewiński, P. 112 (1999) 105–146
- Mitchell, T., see Craven, M. 118 (2000) 69–113
- Mizoguchi, F., H. Nishiyama, H. Ohwada and H. Hiraishi
 Smart office robot collaboration based on multi-agent programming 114 (1999) 57–94
- Moinard, Y.
 Note about cardinality-based circumscription (Research Note) 119 (2000) 259–273
- Monderer, D. and M. Tennenholtz
 Optimal auctions revisited 120 (2000) 29–42
- Moore, N., see Hayton, P.M. 114 (1999) 125–156

Muggleton, S.

- Inductive Logic Programming: Issues, results and the challenge of Learning Language in Logic 114 (1999) 283–296

Nigam, K., see Craven, M.

118 (2000) 69–113

Nishiyama, H., see Mizoguchi, F.

114 (1999) 57–94

Nourbakhsh, I.R., J. Bobenage, S. Grange, R. Lutz, R. Meyer and A. Soto

- An affective mobile robot educator with a full-time job 114 (1999) 95–124

Ohwada, H., see Mizoguchi, F.

114 (1999) 57–94

Ortiz Jr., C.L.

- A commonsense language for reasoning about causation and rational action 111 (1999) 73–130

Palopoli, L., F. Pirri and C. Pizzuti

- Algorithms for selective enumeration of prime implicants 111 (1999) 41–72

Patel-Schneider, P.F., see Brachman, R.J.

114 (1999) 203–237

Percus, A., see Boettcher, S.

119 (2000) 275–286

Perkowitz, M. and O. Etzioni

- Towards adaptive Web sites: Conceptual framework and case study 118 (2000) 245–275

Perlis, D.R., see Cohn, A.G.

111 (1999) 1–2

Perlis, D.R., see Cohn, A.G.

112 (1999) 251–252

Pino-Pérez, R. and C. Uzcátegui

- Jumping to explanations versus jumping to conclusions 111 (1999) 131–169

Pirri, F., see Palopoli, L.

111 (1999) 41–72

Pizzuti, C., see Palopoli, L.

111 (1999) 41–72

Precup, D., see Sutton, R.S.

112 (1999) 181–211

Przymusiński, T.C., see Brass, S.

112 (1999) 233–250

Rabideau, G., see Chien, S.

114 (1999) 239–255

Raja, A., see Lesser, V.

118 (2000) 197–244

Ram, A., see Cox, M.T.

112 (1999) 1–55

Ravaux, P., see Vilhelm, C.

116 (2000) 67–85

Rifi, O., see Herzig, A.

115 (1999) 107–138

Rinner, B., see Kay, H.

119 (2000) 103–140

Rivlin, E., see Dar, T.

112 (1999) 147–179

Rödger, W.

- Conditional logic and the Principle of Entropy 117 (2000) 83–106

Rogers, T.J., see Eiter, T.

117 (2000) 107–167

Rosati, R.

- On the decidability and complexity of reasoning about only knowing 116 (2000) 193–215

Rosenbloom, P.S., see Kim, J.

120 (2000) 43–80

Rosenfeld, A.

- B. Jähne, H. Haussecker, and P. Geissler, eds., *Handbook of Computer Vision and Applications. 1. Sensors and Imaging. 2. Signal Processing and Pattern Recognition. 3. Systems and Applications* (Book Review)

120 (2000) 271–273

Sandholm, T., K. Larson, M. Andersson, O. Shehory and F. Tohmé

- Coalition structure generation with worst case guarantees

111 (1999) 209–238

Saraswat, V.A., see Fromherz, M.P.J.

114 (1999) 157–202

Scarcello, F., see Cadoli, M.

119 (2000) 1–17

Schaerf, M., see Cadoli, M.

115 (1999) 25–64

Schubert, L.K., see Kaplan, A.N.

120 (2000) 119–160

Schulz, D., see Burgard, W.

114 (1999) 3–55

Sharkey, N.E.

- J.A. Anderson and E. Rosenfeld (Eds.), *Talking Nets: An Oral History of Neural Networks* (Book Review)

119 (2000) 287–293

Shehory, O., see Sandholm, T.

111 (1999) 209–238

Shrobe, H., see Stahovich, T.F.

119 (2000) 19–60

Siekmann, J., see Melis, E.

115 (1999) 65–105

Singh, S., see Sutton, R.S.

112 (1999) 181–211

Slattery, S., see Craven, M.

118 (2000) 69–113

Smith, S.M., see Hayton, P.M.

114 (1999) 125–156

Snow, P.

- Diverse confidence levels in a probabilistic semantics for conditional logics (Research Note)

113 (1999) 269–279

Soto, A., see Nourbakhsh, I.R.

114 (1999) 95–124

Spalazzi, L., see Giunchiglia, F.

111 (1999) 329–338

Sparck Jones, K.

- Information retrieval and artificial intelligence

114 (1999) 257–281

Stahovich, T.F., R. Davis and H. Shrobe

- Qualitative rigid-body mechanics

119 (2000) 19–60

Steiner, W., see Burgard, W.

114 (1999) 3–55

Stergiou, K. and M. Koubarakis

- Backtracking algorithms for disjunctions of temporal constraints

120 (2000) 81–117

Straach, J. and K. Truemper

- Learning to ask relevant questions

111 (1999) 301–327

Stumptner, M., see Friedrich, G.

111 (1999) 3–39

Stützle, T., see Hoos, H.H.

112 (1999) 213–232

Subrahmanian, V.S., see Eiter, T.

117 (2000) 107–167

Sutton, R.S., D. Precup and S. Singh

- Between MDPs and semi-MDPs: A framework for temporal abstraction in reinforcement learning

112 (1999) 181–211

- Tai, W.-P., see Liou, C.-Y. 116 (2000) 265–288
- Teller, A. and M. Veloso
 Internal reinforcement in a connectionist genetic programming approach 120 (2000) 165–198
- Tennenholtz, M., see Fitoussi, D. 119 (2000) 61–101
- Tennenholtz, M., see Monderer, D. 120 (2000) 29–42
- Thielscher, M.
 From situation calculus to fluent calculus: State update axioms as a solution to the inferential frame problem 111 (1999) 277–299
- Thrun, S., see Burgard, W. 114 (1999) 3–55
- Tohmé, F., see Sandholm, T. 111 (1999) 209–238
- Trillas, E., S. Cubillo and E. Castiñeira
 On conjectures in orthocomplemented lattices 117 (2000) 255–275
- Truemper, K., see Straach, J. 111 (1999) 301–327
- Truszczyński, M., see Cholewiński, P. 112 (1999) 105–146
- Turner, H.
 A logic of universal causation 113 (1999) 87–123
- Ureel, L., see Forbus, K.D. 114 (1999) 297–347
- Uzcátegui, C., see Pino-Pérez, R. 111 (1999) 131–169
- Valiant, L.G.
 Robust logics 117 (2000) 231–253
- van der Hoek, W., see Meyer, J.-J.Ch. 113 (1999) 1–40
- van Linder, B., see Meyer, J.-J.Ch. 113 (1999) 1–40
- van Raalte, F., see de Jong, H. 115 (1999) 145–214
- Veloso, M., see Teller, A. 120 (2000) 165–198
- Vilhelm, C., P. Ravoux, D. Calvelo, A. Jaborska, M.-C. Chambrin and M. Boniface
 Think!: A unified numerical-symbolic knowledge representation scheme and reasoning system 116 (2000) 67–85
- Wagner, T., see Lesser, V. 118 (2000) 197–244
- Walsh, T., see Gent, I.P. 113 (1999) 285–290
- Walther, C. and T. Kolbe
 Proving theorems by reuse 116 (2000) 17–66
- Wang, X., see You, J.-H. 113 (1999) 247–268
- Weigel, R. and B. Faltings
 Compiling constraint satisfaction problems 115 (1999) 257–287
- Weld, D.S., see Levy, A.Y. 118 (2000) 1–14
- Whalley, P.B., see Forbus, K.D. 114 (1999) 297–347
- Wielinga, B., see de Koning, K. 117 (2000) 173–229
- Willis, J., see Chien, S. 114 (1999) 239–255
- Wotawa, F., see Friedrich, G. 111 (1999) 3–39

- Würtl, R.P.
Gossiping Nets (Book Review) **119** (2000) 295–299
- You, J.-H., X. Wang and L.Y. Yuan
Compiling defeasible inheritance networks to general logic
programs (Research Note) **113** (1999) 247–268
- Young, R.M.
Using Grice's maxim of Quantity to select the content of plan
descriptions **115** (1999) 215–256
- Yuan, L.Y., see You, J.-H. **113** (1999) 247–268
- Zhang, S.XQ., see Lesser, V. **118** (2000) 197–244

Subject Index—Volumes 111–120

- | | | | |
|--------------------------------|---------------------------------|-------------------------------|---|
| 0-1 programming | (111) 41 | Belief networks | (113) 41 |
| 2D motion estimation | (114) 125 | Belief revision | (115) 25, (119) 141, (119) 259,
(120) 251 |
| Abduction | (111) 41, (111) 131, (116) 297 | Belief update | (115) 107, (119) 141 |
| Abductive reasoning | (120) 1 | Benchmarking | (112) 105 |
| Abductive theory revision | (112) 57 | Binding problem | (117) 231 |
| Abstraction | (116) 17 | Blame assignment | (112) 1 |
| Accuracy estimation | (116) 1 | Bucket brigade | (120) 165 |
| Adaptive Web sites | (118) 245 | | |
| Agency | (111) 73 | Case-based coaching | (114) 297 |
| Agent architecture | (114) 57 | Case-based reasoning | (112) 1 |
| Agent development environments | (117) 107 | Causal logic | (113) 87 |
| Agent interactions | (117) 277 | Causality | (115) 107 |
| Agent-based computing | (117) 277 | Causation | (111) 73 |
| AGM theory | (116) 237 | Chessmaps heuristic | (120) 235 |
| AI and education | (114) 297 | Circumscription | (119) 259 |
| AI applications | (114) 203 | CLASSIC | (114) 203 |
| Algorithms | (111) 301, (113) 41 | Closed world assumption | (119) 141 |
| Analogy | (116) 17 | Clustering | (116) 1 |
| Anytime algorithm | (111) 209 | Coalition formation | (111) 209 |
| Approximation | (116) 287 | Cognitive map | (119) 191 |
| Argumentation | (120) 251 | Cognitive robotics | (111) 277 |
| Artificial intelligence | (113) 149, (114) 257 | Colinear points | (119) 235 |
| Artificial social systems | (119) 61 | Collision avoidance | (114) 3 |
| ASK/TELL mechanism | (120) 119 | Combinatorial optimization | (119) 275 |
| Auction design | (120) 29 | Commonsense reasoning | (111) 73, (119) 259 |
| Auctions | (120) 29 | Compactability | (115) 25 |
| Automated proof planning | (115) 65 | Comparative analysis | (115) 145 |
| Automated reasoning | (112) 105, (113) 41, (116) 297 | Compilation | (115) 257 |
| Autonomous spacecraft | (114) 239 | Complexity | (116) 315, (119) 141 |
| | | Compositional modeling | (114) 297 |
| Bayesian networks | (113) 203, (117) 297, (120) 199 | Computational complexity | (115) 1, (115) 25,
(116) 193, (117) 1, (119) 1 |
| Belief | (120) 119 | Computational model of belief | (120) 119 |
| Belief ascription | (120) 119 | Computer chess | (120) 235 |
| Belief change | (115) 107, (116) 237 | Computer vision | (114) 95 |
| Belief inference | (120) 119 | | |

- Conceptual clustering (118) 245
 Conditional logic (113) 269, (117) 83
 Conformality (116) 265
 Conjectures (117) 255
 Consequences (117) 255
 Constraint networks (113) 41
 Constraint programming (114) 157
 Constraint satisfaction (112) 105
 Constraint satisfaction problems (120) 81
 Constraint-based reasoning (115) 257
 Constraints (117) 31
 Contrast-enhanced MRI (114) 125
 Control (114) 157
 Convex sets of probability measures (120) 199
 Coplanarity constraints (119) 235
 Correlation (114) 125
 Cross-validation (116) 1
- Data manifold (116) 265
 Data mining (118) 245
 Davis-Putnam (116) 315
 Debugging (111) 3
 Decision lists (113) 125
 Deduction (116) 297, (117) 231
 Deduction and theorem proving (116) 17
 Deduction model of belief (120) 119
 Deductive databases (112) 233
 Default logic (112) 105, (116) 217
 Default modal logic (116) 217
 Default reasoning (116) 217
 Defeasible inheritance (113) 247
 Defeasible reasoning (120) 251
 Deformation measure (116) 265
 Deontic logic (117) 107
 Dependence (115) 107
 Description logics (114) 203
 Diagnosis (111) 3, (111) 41, (112) 57, (119) 103
 Distributed AI (111) 209
 Dynamic logic (113) 1
 Dynamic programming (113) 41
- Education (113) 149
 Empirical evaluation of algorithms (112) 213
 Empirical methods (113) 285
 Engineering thermodynamics (113) 149, (114) 297
 Entailment (116) 297
 Entertainment (114) 3
 Epistemic logics (116) 193
 Epistemic states (116) 237
 Evolutionary computation (120) 165
 Experimental methods (113) 285
 Experimental studies (112) 105
 Expert system (117) 83
- Explanation (112) 1
 Explanatory and nonmonotonic reasoning (111) 131
 Failure analysis reasoning (111) 239
 Filter preferential entailment (120) 1
 Filtering (120) 1
 First-order logic (117) 297
 FMEA (Failure Mode Effects Analysis) (111) 239
 Frame problem (111) 277, (116) 87
 Function-based analysis (112) 147
 Functional reasoning (113) 149, (114) 297
- Game theory (111) 209
 Genetic programming (120) 165
 Graph partitioning (119) 275
 Graphical d-separation relations (120) 199
 Graphical models of inference (120) 199
- Heterogeneous databases (118) 163
 Heuristic search (117) 31
 Heuristics (119) 275
 Hierarchical planning (112) 181
 Horn formulae (119) 1
 Human robot interaction (114) 3
 Hypotheses and their structure (117) 255
- Image sequence analysis (112) 147
 Imprecise models (119) 103
 Independence relations (120) 199
 Inductive learning (116) 1
 Inductive Logic Programming (114) 283
 Inference (113) 41, (117) 83
 Information agents (118) 15, (118) 197
 Information appliance (114) 57
 Information extraction (118) 15, (118) 69, (118) 163
 Information gathering (118) 197
 Information integration (118) 115, (118) 163
 Information retrieval (114) 257, (118) 163, (118) 277
- Information systems (118) 197
 Integer programming (111) 41
 Integrating constraint solvers (115) 65
 Integrity constraints (115) 107
 Intelligent agents (113) 1
 Intelligent interfaces (111) 301
 Intelligent learning environments (114) 297
 Interactive learning environments (117) 173
 Interchangeability (115) 257
 Internal reinforcement (120) 165
 Internet information integration (118) 15
 Intra-option learning (112) 181
 Iterative repair (114) 239
- Junction trees (113) 203

- KL-One (114) 203
 Knowledge approximation (119) 1
 Knowledge assimilation (120) 1
 Knowledge based model construction (117) 297
 Knowledge bases (118) 69
 Knowledge compilation (119) 1
 Knowledge representation (111) 301, (112) 105,
 (114) 203, (116) 17, (116) 67, (116) 193,
 (117) 107, (118) 163, (119) 259

 Learning (117) 231
 Learning algorithm (116) 265
 Learning goals (112) 1
 Learning interaction models (111) 301
 Learning of n (114) 283
 Learning relations (117) 231
 Learning rules (117) 231
 Learning to act (113) 125
 Learning-strategy construction problem (112) 1
 Lexical ambiguity (118) 277
 Line drawing labelling (119) 235
 Linear programming (119) 235
 Linear system theory (115) 145
 Local search (114) 239, (119) 275
 Localization (114) 3
 Logic (114) 3, (115) 1
 Logic programming (113) 247
 Logic programming and theorem proving (111) 301
 Logical representations (111) 171
 Logics of knowledge and beliefs (112) 233
 Lower and upper expectations (120) 199

 Machine learning (114) 3, (114) 283, (116) 1,
 (116) 17, (118) 15, (118) 69, (120) 165
 Macroactions (112) 181
 Macros (112) 181
 Map learning (119) 191
 Mapping (114) 3
 Markov decision processes (112) 181
 Maximum entropy (117) 83
 Mechanical devices (112) 147
 Mechanical motion (112) 147
 Mechanism design (120) 29
 Meta-level reasoning (115) 65
 Meta-reasoning (112) 1
 Minimal change (115) 107
 Minimal social laws (119) 61
 Mobile robotics (114) 3, (114) 95
 Modal logic (116) 217
 Model aggregation (117) 173
 Model checking (112) 57
 Model-based diagnosis (117) 173
 Model-based reasoning (111) 3, (114) 157, (116) 87

 Modeling (114) 157
 Monitoring (119) 103
 Morphology (118) 277
 Motivational attitudes (113) 1
 Multi-agent programming (114) 57
 Multi-agent systems (111) 209, (117) 277
 Multistrategy learning (112) 1

 Natural coordinate (116) 265
 Natural language (114) 283
 Natural language processing (115) 215
 Navigation (114) 95
 Negotiation (111) 209
 Network satisfaction problem (116) 287
 Neural network (120) 235
 Neural programming (120) 165
 Nonmonotonic consequence relations (111) 131
 Nonmonotonic logic (113) 87
 Nonmonotonic reasoning (112) 105, (112) 233,
 (113) 247, (116) 193, (116) 217, (119) 259
 Numeric reasoning (116) 67

 Omniscience (120) 119
 Optic flow (114) 125
 Optimization (114) 95
 Optimization problems (111) 41
 Options (112) 181
 Orthocomplemented (117) 255
 Orthomodular and Boolean lattices (117) 255

 PAC learning (117) 231
 PAC semantics (117) 231
 Parallel lines (119) 235
 Parallelisation (112) 213
 Pattern recognition (116) 265
 Pattern-oriented (120) 235
 Plan-space search (115) 215
 Planning (112) 1, (113) 125, (114) 3, (114) 239,
 (115) 65, (115) 215, (116) 87, (116) 123,
 (118) 197
 Planning by Rewriting (118) 115
 Plausible reasoning (113) 149
 Polynomial agent languages (117) 107
 Possibility measures (113) 269
 Possible models approach (115) 107
 Preferential entailment (113) 269, (119) 259
 Prime implicants (111) 41
 Prime implicate (111) 41
 Probabilistic inference (113) 203
 Probabilistic logic (117) 83
 Probabilistic models (111) 171, (114) 257
 Probabilistic reasoning (113) 269, (114) 3
 Problem solving (120) 43

- | | | | |
|---------------------------------|---|--|--------------------|
| Problem solving and search | (116) 17 | Smart office | (114) 57 |
| Problem structure | (117) 31 | Social level | (117) 277 |
| Propositional logic | (116) 297 | Software agents | (117) 107 |
| Propositional satisfiability | (116) 315 | Software engineering | (117) 277 |
| Protein prediction | (114) 283 | Soundness | (117) 231 |
| | | Space operations | (114) 239 |
| Qualification problem | (116) 87 | Spatial reasoning | (119) 191 |
| Qualitative geometric reasoning | (119) 19 | Spatio-temporal databases | (120) 81 |
| Qualitative modelling | (111) 239 | Speed up learning | (120) 43 |
| Qualitative Physics | (119) 19 | SPIRIT | (117) 83 |
| Qualitative reasoning | (112) 147, (113) 149,
(114) 297, (115) 145, (117) 173, (119) 103,
(119) 191 | State constraints | (116) 87 |
| Qualitative simulation | (119) 19, (119) 103 | Statistics | (113) 285 |
| Query optimization | (118) 115 | Stemming | (118) 277 |
| | | Stochastic local search | (112) 213 |
| Ramification problem | (116) 87 | Stratified programs | (117) 107 |
| Randomization | (117) 1 | Structural domains | (113) 125 |
| Reactive planning | (117) 1 | Student modelling | (117) 173 |
| Reasoning | (117) 231 | Subgoals | (112) 181 |
| Reasoning about action | (111) 73, (113) 87, (115) 1,
(116) 87 | Supervised learning | (113) 125 |
| Reinforcement learning | (112) 181 | Symbolic electrical circuit simulation | (111) 239 |
| Relation algebra | (116) 287 | Symbolic reasoning | (116) 67 |
| Relational learning | (118) 69 | System identification | (119) 103 |
| Repair | (112) 57 | | |
| Resource-bounded reasoning | (111) 209 | Task-related discourse | (115) 215 |
| Reuse | (116) 17 | Technology transfer | (114) 203 |
| Rigid-body dynamics | (119) 19 | Temporal abstraction | (112) 181 |
| Robot collaboration | (114) 57 | Temporal constraints | (116) 287 |
| Robot exploration | (119) 191 | Temporal logic | (115) 1, (116) 123 |
| Robot-human interaction | (114) 95 | Temporal reasoning | (120) 81 |
| Robust Bayesian analysis | (120) 199 | Text categorization | (118) 163 |
| Robustness | (117) 231 | Text classification | (118) 69 |
| Rule match | (120) 43 | Text processing | (118) 197 |
| Run-time distributions | (112) 213 | Textual similarity | (118) 163 |
| | | Theorem proving | (115) 65 |
| SAT | (112) 213 | Tour guide robots | (114) 95 |
| Scheduling | (114) 157, (114) 239, (117) 31,
(118) 197, (120) 81 | Tractable | (116) 287 |
| Scientific discovery | (114) 283 | Tractable inference | (116) 297 |
| Search | (113) 41, (120) 81 | Traveling salesman problem | (119) 275 |
| Search control knowledge | (116) 123 | Truth propagation | (116) 67 |
| Search heuristic | (120) 235 | | |
| Self-organization network | (116) 265 | Uncertainty | (114) 125 |
| Self-organized criticality | (119) 275 | Universal planning | (117) 1 |
| Semantics of logic program | (112) 233 | Update postulates | (115) 107 |
| Semi-Markov decision processes | (112) 181 | Utility problem | (120) 43 |
| Sensors | (111) 171 | | |
| Signal understanding | (120) 165 | Vanishing points | (119) 235 |
| Simple social laws | (119) 61 | Virtual laboratories | (114) 297 |
| Simplices | (116) 265 | | |
| Simulative reasoning | (120) 119 | Weak abduction | (120) 1 |
| | | Web spider | (118) 69 |
| | | Word sense disambiguation | (118) 277 |
| | | World Wide Web | (118) 69 |
| | | Wrapper induction | (118) 15 |

